

CANYON COUNTRY A Land Of Enchantment

his vast rock desert in southeastern Utah showcases deep, colorful canyons, majestic natural monuments pictured in western movies, a fantasy land of towering pinnacles and slot canyons, rock arches and bridges, and breathtaking vistas atop mesas. Much can be seen by car, and more of this endlessly intriguing country is accessible by foot, mountain bike, four-wheel-drive vehicle, or watercraft.

You do not have to be a geologist to enjoy or interpret the scenery, for the rocks easily divulge their stories of forming in seas or on land, in deserts or in deltas, in rivers or along beaches. What a fascinating heritage: dinosaurs once sauntered through lush lowlands leaving huge footprints in mud that has now turned to rock, vast sand dunes that drifted across the area are preserved as large sweeping lines in sandstone walls, and oceans that once covered this region left fossilized corals and seashells embedded in limestone.

This guide introduces you to the rocks' stories, to enhance your travels and your appreciation of the region. Along designated scenic byways, which are portrayed at the end of this pamphlet, look for the specific features described here and learn what their journey has been as you make yours. During your visit, tread lightly on this delicate land so that the pristine and unique landscape remains unchanged. Desert soils are extremely fragile; minimize your impact by staying on roads or marked trails.



Above photo and cover photo courtesy of the Grand County Travel Council.

Credits

Text by Sandra N. Eldredge. Photos by author unless otherwise credited. Graphics by Vicky Clarke. Special thanks to: the Salt Lake Convention & Visitors Bureau and the Utah Travel Regions Association for their support of this project; Canyonlands National Park and the Grand County Travel Council for photo releases; Newc and Sally Eldredge for field assistance; Miriam Bugden, Joan DeGiorgio, Hellmut Doelling, Kimm Harty, Carolyn Olsen, Michael Ross, and Christine Wilkerson for providing valuable reviews; and Patti MaGann who helped to get this project off the ground.

Time Passages


At many vistas in the Canyonlands region, the rocks display hundreds of millions of years of earth history. And yet, what you see are only small slices of earth's time, during which oceans repeatedly flooded and retreated, mountains rose and wore down, river systems appeared and disappeared, and sand dunes migrated across a Sahara-like desert.

Much of the landscape's uniqueness is due to underground salt movement. Salt collected in a restricted arm of an ocean 300 million years ago during the Pennsylvanian Period. At that time, the nearly flat landscape buckled into a mountain range (Uncompahapre uplift) and an adjacent basin (Paradox basin). The basin was intermittently connected to, and then isolated from, a nearby sea. During the isolation phases, salt water evaporated, eventually leaving vast salt deposits up to thousands of feet thick over most of what is now the Canyonlands region. These salts became the rock strata called the Paradox Formation.

The colorful rocks that are the essence of this canyon country were laid down as sediments, layer upon layer, over the salt during the next 150 million years in the Permian, Triassic, and Jurassic. Periods. Early in Permian time, the sea started to recede to the west, leaving a coastal plain over the Cariyonlands area. Rivers flowed from the Uncompangre highlands over this coastal plain to the sea. Red sediments carried by the rivers accumulated in channels and flood plains. Concurrently, white beach sands deposited by the ocean blew eastward and formed inland sand duries. Fluctuating sea levels and intermittent river activity across the region resulted in the interfingential of these red and white sediments. Which hardened into rocks called the Cutler Group.

As the Uncompahgre mountains slowly eroded to low hills during the Triassic, the adjacent (southwestern) area evolved into tidal flats and a large river delta. Brown and red clays, silts, sands, and pebbles transported from the eroding mountains became the slope-forming rock strata known as the Moenkopi and Chinle

Drier climate during early Jurassic time transformed the region into Google a vast sandy desert, the wind-blown sands eventually hardened Perinto rocks that now are the red and gold sandstone cliffs and sky-



line domes of the Wingate and Navajo Sandstones. Rivers intermittently appeared, as evident from the river-deposited Kayenta Formation which separates the wind-deposited Wingate and Navajo Sandstones. Interestingly, the water sources that existed during this time, such as the river systems of the Kayenta and oases of the Navajo, provided thriving habitat for many dinosaurs.

During middle-Jurassic time, the desert was slowly covered by an arm of a sea that entered from the north, and sands deposited in tidal flats, lagoons, and as coastal dunes became the Entrada Sandstone (renowned for arch development in Arches National Park). At the end of the Jurassic, rivers and lakes collected silts and sands that formed the Morrison Formation. Dinosaurs caught in recurrent floods were quickly buried by river sediments, turning the Morrison into a remarkable dinosaur graveyard.

The last sea to invade the area approached and retreated from the east during the **Cretaceous**. Gray muds (now the Mancos Shale) that collected on the quiet ocean floor, and the shoreline sands and coal-forming swamps (now the Mesa Verde Group), are visible in the northern part of the region in the Book Cliffs.

A gentle, broad uplifting in the southern part of the Canyonlands region, the Monument upwarp, formed during the **Tertiary**. Also during this time, the birthplaces of the La Sal, Abajo, and Navajo Mountains were established where hot magma rose close to the earth's surface (see description in Mountains section).


The present stage of geologic history began about 15 million years ago, when the Colorado Plateau, which encompasses the Canyonlands area, was uplifted and the forces of water and wind erosion began their work. The Colorado, Green, and San Juan Rivers and their tributaries continue to cut downward though the rock layers and carry enormous amounts of sediment off the plateau; mesas, buttes, and monuments continue to get smaller; and arches, spires, and hoodoos continue to form. The dramatically sculpted landscape of today's canyon country is constantly, but ever-so-slowly, changing.

THE PRIVERS AND CANYONS

Countless, magnificent canyons carve the land and are grand testimony to "Canyonlands." Many deep gorges wind back on themselves like ribbon candy; these **entrenched meanders** (river bends cut deeply into rock strata) established their wandering courses across flat plains before the Colorado Plateau uplift began. When the land rose, the rivers maintained their meandering paths and began to slowly cut downward through the rock layers.

Entrenched meanders can be seen from overlooks in Canyonlands National Park, Natural Bridges National Monument, and Goosenecks of the San Juan State Park.

The Colorado, Green, and San Juan Rivers offer both flat- and white-water trips through spectacular canyons. All three rivers can be floated via commercial trips, or private trips with permits.




The famous Goosenecks of the San Juan River form three tight loops that are 1.5 miles long. Staircase walls are patterned by *differential erosion* - hard rocks that are not easily eroded form ledges and easily eroded soft rocks form slopes.

REED ROCKS AND DESERT VARNISH

Red or rusty-hued rocks were deposited in oxygen-rich environments. Many sediments contain iron compounds, and the combination of iron and oxygen commonly produces red colors. Thus, the abundance of red rocks in the Canyonlands area, also called "red rock country," reveals they formed in oxygenated environments (for example, in rivers or deserts, but not in stagnant, oxygen-poor lagoons).

Black stains resembling spilled paint form streaks on many cliff walls. This staining, called **desert varnish**, forms where water rich in iron and manganese oxides evaporates, leaving a thin, black veneer of minerals on the rock face.



Desert varnish streaks White Rim Sandstone walls. Red rocks in the distance are slopes of the Chinle and Moenkopi Formations overlain by cliffs of Wingate and Kayenta. A dome of Navajo Sandstone caps the cliffs.


Folds, Faults, and Joints

When the earth's crust buckles, it can either bend or break.

Bending of rock layers is called *folding: anticlines* are upfolds, *synclines* are downfolds, and *monoclines* have one side tilted
higher than the other. Breaking of rock layers produces fractures
called faults or joints. A *fault* is a break in the rock along which
there has been noticeable movement between the two sides. A *joint* is a linear, open crack in the rock.




Several bending and breaking features superbly exhibited in the bare rock of the desert include: the Moab fault near Arches National Park visitors center, the Cane Creek anticline southwest of Moab, the Comb monocline in the southern part of the region, and the many enlarged joints that form intriguing slot canyons in and around Arches National Park and The Needles District of Canyonlands National Park.



Moab Valley, view to north. Upward doming of rock layers over the Moab Valley salt anticline (left) initiated the joint and fin development on the anticline's east flank. The anticline crest collapsed hundreds of feet as the underlying salt dissolved. Eventually the collapsed rocks eroded and now a valley remains. Photo courtesy Grant Willis.

SALT MOVEMENT


Salt movement beneath the Canyonlands region contributed to the creation of many features peculiar to the region, including collapsed anticlines, grabens, fins, and arches. The weight of overlying rock layers squeezed the salt into areas of lower pressure, which were linear belts along deep buried faults. In these areas, the salt thickened and formed linear salt tracts. Later, horizontal compression in the earth's crust bulged the salt belts and overlying rocks upward to form anticlines. The brittle, overlying rocks broke along faults and joints in and parallel to the anticlines' crests, which enabled water to reach the underlying salt in some anticlines. As the salt dissolved, the overlying rock layers collapsed hundreds of feet (called *collapsed salt anticlines*), leaving valleys such as Salt Valley in Arches National Park and Moab Valley. Other anticlines, such as the Cane Creek anticline, have not collapsed.



Cyclone Canyon is in The Grabens, which is part of The Needles District of Canyonlands National Park. Rock layers two thousand feet thick in The Grabens are imperceptibly gliding over salt beds that are also slowly moving downslope toward the Colorado River canyon. As the rock layers move toward the river, they break apart, forming faulted, wide, straight-sided, and flat-bottomed canyons (*grabens*). South view toward The Needles jutting into the distant skyline. *Photo courtesy Canyonlands National Park*.

. ARCHES

Arches are found throughout canyon country, and Arches National Park has the greatest concentration of them in the world (over 1,500). Underground salt movement, erosion of sandstone by wind and water (the Entrada Sandstone in Arches National Park is particularly susceptible to arch development), and temperature variations contribute to the development of arches. The process starts where joints develop in the sandstone overlying a salt upwarp. The joints widen as ice expands in the cracks, and rain and snowmelt dissolve the calcium. carbonate that holds the sand grains



together. Continued erosion creates greatly enlarged joints that separate towering sandstone walls, called "fins." Alcoves in the fins evolve as thin, curving sheets of rock fall away. Alcoves may develop on both sides of a fin and eventually join to create an arch.

*B*RIDGES

Unlike arches, natural bridges initially form by stream erosion (see Scenic Byway 95 for description). Natural Bridges National Monument contains three of the largest rock bridges in the world,



and Rainbow Bridge National Monument encompasses the largest known natural bridge at 290 feet high and spanning 270 feet.

-Rainbow Bridge (on Lake Powell) is carved from the Navaio Sandstone. Photo courtesy Utah Travel Council.




During the Tertiary Period, the La Sal, Abajo, and Navajo Mountains, as well as the Henry Mountains to the west of the region, were created. Molten rock (magma) beneath the earth's surface pushed upward through the rock layers in these areas. The magma, which did not reach the surface, slowly cooled and hardened into granitic rocks. Covering and surrounding these hard rocks were soft sedimentary rocks that eventually eroded, leaving the rugged granitic protrusions to loom over the region. Navajo Mountain still maintains its cap of sedimentary rocks. As recently as 10,000 years ago, glaciers carved the higher peaks in the La Sal Mountains, the second highest mountain range in the state.



Explosive Tertiary volcanic events created *diatremes*, which are volcanic necks or plugs. Small vents erupted pulverized rock and gas from the magma chamber to the earth's surface. The magma-filled vents cooled and hardened, and were covered by sediments that later eroded. The remaining volcanic necks now stand in stark outline above the surrounding landscape. Diatremes are present in the southern part of the region along Comb Ridge. They are also in adjacent states, and include the famous Shiprock in northwestern New Mexico.



Alhambra Rock is a diatreme seen along Scenic Byway 163.



Rock strata are domed upward in the Cane Creek anticline, a salt anticline that has not collapsed. Cutler rocks are at river level, and Moenkopi and Chinle slopes capped by Wingate cliffs rise above a potash plant (left of riven. Potash is mined from the Paradox Formation, which is close to the surface in the domed structure of the anticline. Here, the potash is 3,000 feet deep, whereas potash and other salts in the Paradox basin are typically more than 4,000 feet deep.

U-211 TO SQUAW FLATS SCENIC BYWAY

35 miles, 2 hours for 70-mile round trip

M = milepost NORTH

ANYONLANDS NATIONAL PARK

The Sixshooters sixshoot SIXSHOOTER

PEAK spires of Wingate are remnant Sandstone.

reminders of the ancient Permian the coastal and inland dunes and Red and white colors within the coast, where white sands from over millions of years. The red red sands from rivers mingled Cedar Mesa Sandstone are

and white bands are particularly

evident in The Needles. Photo

courtesy Canyonlands National Park

repository. Salt beds 3,000 feet below the surface ered for the nation's first high-level nuclear-waste The area behind South Sixshooter Peak was considwere targeted as potential host rocks for the radioactive material.

gression from younger to older rocks evident on the northwestern fault red Kayenta Formation is down dropped to the same level as adjacent to the road, where the Indian Creek canyon, the normal proyounger Kayenta overlies is disrupted. The disorder is most between two faults. Descending into Sandstone. Normally the Shay graben is a downdropped block the older Wingate. the vellow Wingate

NEWSPAPER ROCK

glyphs engraved into desert-varnished Newspaper Rock exhibits Indian petro-Wingate Sandstone.

enters a wide valley bounded by Jurassic-age sandstone walls and Triassiccottonwood-lined Indian Creek canyon, passes intriguing Newspaper Rock, Beginning at Church Rock, this road crosses the sage flats, winds down to age siltstone slopes, and ends at Squaw Flat Campground in The Needles District of Canyonlands National Park. Dominating the landscape upon coastal area of beaches and inland sand dunes, located between the northeastern river networks and western ocean. Views of the Abajo entering the park is the Cedar Mesa Sandstone - formerly a Permian climbers scaling Wingate Sandstone cliffs add diversity to this drive. Mountains, the skyline spires of The Needles, petroglyphs, and rock








Sandstone (right foreground) in

Cross-bedded Cedar Mesa Simplified cross-section




Squaw Flats East view to South Sixshooter Peak (distant left). Photo courtesy Canyonlands Campground. National Park.

ight-colored Cedar Mesa Sandstone is in the foreground. NORTH siltstone and claystone of the Morrison Formation Red, green, and purple color the washes. Sand dunes drifted across the area between the present-day Comb Ridge and Colorado River 260 Mesa Sandstone on the 7,000-foot-high Cedar Mesa. The sand dunes gave way to a landscape of Formation. The sea then advanced as far are eye-catching along this route, which depositing beach sands along its shore. White beaches and eastward-migrating panoramic views for one hundred miles Sandstone. Riveting color contrasts of deposited red silts on the flood plains. the silt hardened into the Organ Rock million years ago. Now frozen in time, they are preserved as the white rock called the Cedar junipers and pinyon pines, as well as includes side trips to Natural Bridges National Monument and Indian ruins. east as the present Colorado River. lood plains when a western sea retreated to the west. Rivers flowing from the northeast red rocks, white rocks, and green Wingate Sandstone and Two red buttes in the Chinle Formation top dunes became the White Rim Cedar Mesa. 73 miles, 2 hours between Blanding and Hite (route continues northwest to Hanksville) Bicentennial Scenic Byway 95 base of the aptly named Cheesebox, he Organ Rock Formation forms the CHEESEBOX Composed of the Moenkopi Formation. cross-bedded and The road follows White Canvon. carved into the desert-varnished Cedar Mesa Sandstone JOK IKE BAIR Sculpted Copper and uranium tailings indicate past mining activity. CANYON NATIONAL RECREATION AREA

Cedar Mesa Sandstone that once separated the formed as rivers eroded through thin walls of abandoned the meanders to take the shorter bends of entrenched meanders. The rivers paths under the bridges. overlooks three ong loop road An eight-milebridges. The arge natural bridges Light-colored sandstone with the frozen-dune appearance is the Cedar Mesa Sandstone. Overlying red slopes and ledges (background) are the Organ Rock Formation, which contains a pink band of sandstone. The thin, white ledge capping the red slopes is the White Rim Sandstone, which noticeably thick-The Colorado River. ens to the west. The Moenkopi Formation defines the skyline.




down toward the east, to photo left). Comb Wash follows the abrupt eastern flank of the Monument upwarp, and extends north-south for 70 miles. The road cuts through steeply tilteasily eroded Moenkopi and Organ Rock Formations. The ed Navajo, Kayenta, Wingate, and Chinle strata (rocks dip Comb Ridge, a classic example of a monocline, forms the



NATIONAL MONUMEN The road ascends the

toward the crest of Monument upwarp.



INFORMATION AGENCIES

SALT LAKE CONVENTION & VISITORS BUREAU 180 South West Temple Salt Lake City UT 84101 (801-521-2822)

UTAH TRAVEL COUNCIL Council Hall, Capitol Hill Salt Lake City UT 84114 (801-538-1030)

MOAB INFORMATION CENTER

Center St. and Main St., Moab UT 84532 (Staffed by Utah Travel Council, Canyonlands Natural History Association (801-259-6003), Bureau of Land Management (801-259-8193), National Park Service, and U.S. Forest Service)

Arches National Park
P.O. Box 907, Moab UT 84532 (801-259-8161)

CANYONLANDS NATIONAL PARK 125 West 200 South, Moab UT 84532 (801-259-7164)

GRAND COUNTY TRAVEL COUNCIL 210 North 100 West, Moab UT 84532 (1-800-635-6622)

DEAD HORSE POINT STATE PARK P.O. Box 609, Moab UT 84532 (801-259-6511)

San Juan County Travel Council
117 South Main St.
Monticello, UT 84535 (801-587-3235)

EDGE OF THE CEDARS STATE PARK P.O. BOX 788 Blanding, UT 84511 (801-678-2238)

MONUMENT VALLEY NAVAJO TRIBAL PARK P.O. Box 360289 (801-727-3287/3353) Monument Valley, UT 84536

NATURAL BRIDGES NATIONAL MONUMENT Box 1, Lake Powell, UT 84533 (801-259-5174)

U.S. GEOLOGICAL SURVEY
Earth Science Information Center
2222 West 2300 South
Salt Lake City, UT 84119 (801-975-37420)

UTAH GEOLOGICAL SURVEY 2363 South Foothill Drive Salt Lake City, UT 84109 (801-467-0401)

Contact the Utah Geological Survey for other geologic publications, including: Geology and Grand County, Geologic Resources of San Juan County, and the Geologic Map of Arches National Park.

FEATURES ON CANYONLANDS TRAVEL REGION MAP

(back cover)

Book Cliffs-described in Time Passages

Uncompangre uplift-described in Time Passages

Upheaveal Dome, a mysterious geological feature, one theory is that it is an astrobleme, or giant meteor crater

The Needles-described in Salt Movement and Rte 211

The Grabens-described in Salt Movement

Monument upwarp-described in Time Passages and Rte 95

Paradox basin-described in Time Passages


Newspaper Rock State Park, Edge of the Cedars State Park, and Hovenweep National Monument are situated around Indian ruins and petroglyphs.



Island in the Sky District of Canyonlands National Park and Dead Horse Point State Park (inset) offer inspiring views of nature's red artwork and the erosive power of the

Colorado River. The White Rim Sandstone forms the terrace 1,000 feet below the Island in the Sky, upon which the 100-mile-long White Rim Trail can be traversed by mountain bike or jeep.

CANYONLANDS TRAVEL REGION





1996

State of Utah
Department of Natural Resources
Utah Geological Survey
Public Information Series 34
ISBN 1-55791-373-0